L Number	Hits	Search Text	DB	Time stamp
-	0		USPAT;	2004/04/05 11:40
		server same (encrypt\$3 adj key) and	US-PGPUB;	
		copyright and counter and scan\$4 and	EPO; JPO;	
		install\$3 and format and ((print adj	IBM_TDB	ļ
	_	history) (log adj data)) and @ad<19990927		
-	4	(encrypt\$3) same (image) and client and	USPAT;	2004/04/05 11:43
		server and (encrypt\$3 adj key) and copyright and counter and scan\$4 and	US-PGPUB; EPO; JPO;	
	-	install\$3 and format and ((print adj	IBM TDB	
		history) (log adj data)) and @ad<19990927	TDM_TDB	
[-	4	(encrypt\$3) same (image with data) and	USPAT;	2004/04/05 11:53
		client and server and (select\$3 with	US-PGPUB;	
		encrypt\$3 with key) same client and	EPO; JPO;	
		@ad<19990927	IBM_TDB	
-	1	(encrypt\$3) same (image) same (high) same (resolution) same (print\$3) same	USPAT; US-PGPUB;	2004/04/05 11:58
		(display\$3) and @ad<19990927	EPO; JPO;	
	-	(dispidato) and cad issays	IBM TDB	
-	25	(encrypt\$3) same (image) same (high) same	USPAT;	2004/04/05 11:59
		(resolution) and @ad<19990927	US-PGPUB;	
			EPO; JPO;	
	1.0	(anamym+62) and (i)	IBM_TDB	0004/04/05 55 55
-	16	(encrypt\$3) same (image) same (high) same (resolution) and (low\$2 with resolution)	USPAT; US-PGPUB;	2004/04/05 12:00
		and @ad<19990927	EPO; JPO;	
			IBM TDB	
-	8	(encrypt\$3) same (image) same (high) same	USPAT;	2004/04/05 12:16
		(resolution) and (low\$2 with resolution	US-PGPUB;	
		with display\$3) and @ad<19990927	EPO; JPO;	
	21	5704461 UDDN	IBM_TDB	2004/04/05 12 06
-	31 19		USPAT;	2004/04/05 12:06 2004/04/05 12:13
	1	3704401.0KFN: and Gad<19990927	US-PGPUB;	2004/04/03 12:13
			EPO; JPO;	
1			IBM_TDB	
-	19	5784461.URPN. and (print\$3 (copyright	USPAT;	2004/04/05 12:13
		owner)) and @ad<19990927	US-PGPUB;	
			EPO; JPO;	
-	2	5784461.URPN. and (print\$3 with (copyright	USPAT;	2004/04/05 12:13
		owner)) and @ad<19990927	US-PGPUB;	
			EPO; JPO;	
	0156	() () () () () () () () () ()	IBM_TDB	
[-	2156	(image) same (print\$3) same (copyright holder owner) and @ad<19990927	USPAT;	2004/04/05 12:16
		Horder Owner, and Gad<19990927	US-PGPUB; EPO; JPO;	
			IBM TDB	
[-	45	(image) with (print\$3) with (copyright)	USPAT;	2004/04/05 12:17
		and @ad<19990927	US-PGPUB;	
			EPO; JPO;	
_	22	 (select\$3 with image) and (image with	IBM_TDB USPAT;	2004/04/05 12:33
	22	(print\$3) with copyright) and @ad<19990927	USPAT; US-PGPUB;	2004/04/05 12:33
			EPO; JPO;	
			IBM_TDB	
-	0	((USPAT;	2004/04/05 12:36
		(copyright) and (print\$3 same copyright	US-PGPUB;	
		same halt\$3) and @ad<19990927	EPO; JPO;	
_	0	((read\$3 scan\$4) with image) same	IBM_TDB USPAT;	2004/04/05 12:37
		(copyright) and (print\$3 same copyright)	US-PGPUB;	2001/04/03 12.37
		and ((halt\$3 suspend\$3) with print\$3) and	EPO; JPO;	
		@ad<19990927	IBM_TDB	
-	47	((USPAT;	2004/04/05 12:44
		(copyright) and (print\$3 same copyright) and @ad<19990927	US-PGPUB; EPO; JPO;	
			IBM TDB	
-	9	(((read\$3 scan\$4) with image) same	USPAT;	2004/04/05 13:33
		copyright) and (control\$4 same print\$3	US-PGPUB;	
		same copyright) and @ad<19990927	EPO; JPO;	
			IBM_TDB	

-	46258	(install\$3 upload\$3 retriev\$3) same	USPAT;	2004/04/05 13:34
		(image) and @ad<19990927	US-PGPUB; EPO; JPO;	
	Ì		IBM TDB	
-	25357	(install\$3 upload\$3 retriev\$3) with	USPAT;	2004/04/05 13:35
		(image) and @ad<19990927	US-PGPUB; EPO; JPO;	
			IBM_TDB	
-	11705	(install\$3) with (image) and @ad<19990927	USPAT; US-PGPUB;	2004/04/05 13:36
			EPO; JPO;	
			IBM_TDB	
-	4033	(install\$3 upload\$3 retriev\$3) adj (image) and @ad<19990927	USPAT; US-PGPUB;	2004/04/05 13:36
	1	and cad(1999092)	EPO; JPO;	
	071	(IBM_TDB	0004/04/05 10 06
-	971	(install\$3) adj (image) and @ad<19990927	USPAT; US-PGPUB;	2004/04/05 13:36
			EPO; JPO;	
_	0	(install\$3) adj (image) and (match\$3 with	IBM_TDB USPAT;	2004/04/05 13:37
-		password) and @ad<19990927	US-PGPUB;	2004/04/05 15:57
			EPO; JPO;	
_	16	 (install\$3 upload\$3 retriev\$3) adj (image)	IBM_TDB USPAT;	2004/04/05 13:51
		and (match\$3 with password) and	US-PGPUB;	2001/01/03 13.31
		@ad<19990927	EPO; JPO;	
_	9	(install\$3 installation) with (count\$3)	IBM_TDB USPAT;	2004/04/05 13:52
		and (match\$3 with password) and	US-PGPUB;	2001, 01, 00 10102
		@ad<19990927	EPO; JPO;	
_	5	(install\$3 installation) with (count	IBM_TDB USPAT;	2004/04/05 13:54
		counter) and (match\$3 with password) and	US-PGPUB;	
		@ad<19990927	EPO; JPO; IBM TDB	
_	6338	(install\$3 installation) with (count	USPAT;	2004/04/05 13:54
		counter) and @ad<19990927	US-PGPUB;	
			EPO; JPO; IBM TDB	
-	88	(installation) adj (count counter) and	USPĀT;	2004/04/05 13:55
		@ad<19990927	US-PGPUB; EPO; JPO;	
			IBM TDB	
-	1	(installation) adj (count counter) same	USPAT;	2004/04/05 14:00
		(zero) and @ad<19990927	US-PGPUB; EPO; JPO;	
			IBM TDB	
_	3	(installation) adj (count counter) and password and @ad<19990927	USPAT; US-PGPUB;	2004/04/05 14:05
		password and gad/13330321	EPO; JPO;	
			IBM_TDB	0004/01/05 55 55
_	220	(installation) same (count counter) same (zero) and @ad<19990927	USPAT; US-PGPUB;	2004/04/05 14:01
		(222), and (222)	EPO; JPO;	
		(installation) add (south country) south	IBM_TDB	2004/04/05 15-20
_	3	(installation) adj (count counter) same (zero "0") and @ad<19990927	USPAT; US-PGPUB;	2004/04/05 15:32
			EPO; JPO;	
_	1	(installation) adj (count counter) same	IBM_TDB USPAT;	2004/04/05 14:01
		(zero) and @ad<19990927	US-PGPUB;	2004/04/03 14:01
			EPO; JPO;	
_	570	(counter meter) same password and	IBM_TDB USPAT;	2004/04/05 14:06
		@ad<19990927	US-PGPUB;	
			EPO; JPO;	
_	10357686	(counter meter) same password and	IBM_TDB USPAT;	2004/04/05 14:06
		copyright @ad<19990927	US-PGPUB;	
			EPO; JPO; IBM TDB	
L	L	<u></u>	םמו דיים דו	<u> </u>

-	26	(counter meter) same password and copyright and image and @ad<19990927	USPAT; US-PGPUB;	2004/04/05 14:15
_	156	(counter meter) same password and image	EPO; JPO; IBM_TDB USPAT;	2004/04/05 14:15
	130	and @ad<19990927	US-PGPUB; EPO; JPO;	2004/04/03 14.13
_	115	(counter) same password and image and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 14:20
-	8	(image) and (metadata) and (output adj (device destination)) and ((format size) with (conversion convert\$3)) and ((display\$3 print\$3) with (image) with	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/05 14:25
-	8	data) and @ad<19990927 (metadata) and (output adj (device destination)) and ((format size) with (conversion convert\$3)) and ((display\$3 print\$3) with (image) with data) and @ad<19990927	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/05 14:35
_	62	((metadata attribute) same (output print) adj (device destination target)) and ((format size) with (conversion convert\$3)) and ((display\$3 print\$3) with	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/05 15:10
_	0	(image) with data) and @ad<19990927 (print\$3) same (image) same ((log history) with data) and (format with (conversion convert)) and (aggregat\$3 with ((log	USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:14
-	23	history) with data)) and @ad<19990927 (print\$3) same (image) same ((log history) with data) and (format with (conversion convert)) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:14
_	0	(print\$3) same (image) same ((log history) with data) and (format with (conversion convert) with (log history) with data) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:15
-	8	<pre>@ad<19990927 (print\$3) same (image) same ((log history) with data) and ((size format) same (conversion convert) same (log history)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:19
-	0	with data) and @ad<19990927 (print\$3 with history) and (read\$3 with print\$3 with history) same (format with (convert conversion)) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:21
-	1	(print\$3 with history) same (format with (convert conversion)) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:22
-	1654	(print\$3 with history) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:23
-	3576	((print\$3 with history) (log adj data))and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:24
-	0	((print\$3 with history) (log adj data)) same (format with (convert\$2 conversion)) and (aggregat\$3) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:25
-	15	((print\$3 with history) (log adj data)) same (format with (convert\$2 conversion)) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:25
-	66374	(compar\$3) same (meter counter) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:32
L	<u> </u>		IBM_TDB	

-	96	(compar\$3) same (meter counter) same (password) and @ad<19990927	USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:33
-	0	(compar\$3) same ((installation copying) adj (meter counter)) same (password) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:34
-	1	(compar\$3) same ((installation copying) with (meter counter)) same (password) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 15:39
-	28	((installation copying) with (meter counter)) same (password) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 16:00
-	2	((installation copying) with (meter counter) with (zero initialized)) same (password) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 16:01
-	164	((installation copying) with (meter counter) with (zero initialized)) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 16:10
_	4852	((installation copying) with (meter counter)) and (installation (key code)) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/05 16:11
-	29	((installation copying) with (meter counter)) and (installation adj (key code)) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/06 11:44
_	684	(server) same (select\$3) same (specific) same client and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/06 11:45
_	168	(server) same (select\$3) with (specific) with client and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/06 11:45
-	7	(server) same (select\$3) with (specific) with client same (output) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/06 11:48
-	15	(server) same (select\$3) with (specific) adj client and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/06 17:09
_	10376577	(zero initialized) same (compar\$3) @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/06 17:10
-	54413	(zero initialized) same (compar\$3) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/06 17:11
-	51475	(zero ("not" adj initialized)) same (compar\$3) and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/06 17:11
-	59	(zero ("not" adj initialized)) same (compar\$3) same password and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/06 17:15
-	7	(counter with (zero ("not" adj initialized))) same (compar\$3) same password and @ad<19990927	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/07 09:17
-	20	((counter value) with (zero ("not" adj initialized))) same (compar\$3) same password and @ad<19990927	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/07 09:18
1	1	 		